Index

Åkerström, G. *see* Buchwald, P.C.
Achermann, J.C. *see* Lin, L.
Afshar, F. *see* Carroll, P.V.
Agha, A., Liew, A., Finucane, F., Baker, L., O'Kelly, P., Tormey, W. & Thompson, C.J. Conventional glucocorticoid replacement overtreats adult hypopituitary patients with partial ACTH deficiency: 688
Agha, A., Rogers, B., Mylotte, D., Taleb, F., Tormey, W., Phillips, J. & Thompson, C.J. Neuroendocrine dysfunction in the acute phase of traumatic brain injury: 584
Aguilera, A. *see* Iglesias, P.
Ahmad, A.M. *see* White, H.D.
van Aken, M.O., Pereira, A.M., van den Berg, G., Romijn, J.A., Veldhuis, J.D. & Roelfsema, F. Profound amplification of secretory-burst mass and anomalous regularity of ACTH secretory process in patients with Nelson's syndrome compared with Cushing's disease: 765
Alba, M., Hall, C.M., Whatmore, A.J., Clayton, P.E., Price, D.A. & Salvatori, R. Variability in anterior pituitary size within members of a family with GH deficiency due to a new splice mutation in the GHRH receptor gene: 470
Albertsson-Wikland, K. *see* Blair, J.C.
Allahabadia, A. *see* Harper, L.
Allan, C.A. & McLachlan, R.I. Age-related changes in testosterone and the role of replacement therapy in older men: 653
Allolio, B., Hahner, S., Weismann, D. & Fassnacht, M. Management of adrenocortical carcinoma: 273
Alviggi, C. *see* de Placido, G.
Alviggi, E. *see* de Placido, G.
Andersen, M. *see* Christiansen, J.J.
Arnhold, I.J.P. *see* Jorge, A.A.L.
Arvat, E. *see* Broglio, F.
Auchus, R.J. & Rainey, W.E. Adrenarche – physiology, biochemistry and human disease: 288
Ayuk, J., Stewart, S.E., Stewart, P.M. & Sheppard, M.C. Efficacy of Sandostatin® LAR® (long-acting somatostatin analogue) is similar in patients with untreated acromegaly and in those previously treated with surgery and/or radiotherapy: 375
Azizi, F. *see* Raiszadeh, F.
Bajo, M.A. *see* Iglesias, P.
Baker, L. *see* Agha, A.
Balbo, M. *see* Broglio, F.
Balen, A.H. *see* Wijeyaratne, C.N.
Ballerini, M.G. *see* Trigo, R.V.
Balzan, S. *see* Nicolini, G.
Bano, G. *see* Kaushal, R.
Barker, D.J.P. *see* Kajantie, E.
Baroncelli, G.I., Bertelloni, S., Sodini, F. & Saggese, G. Longitudinal changes of lumbar bone mineral density (BMD) in patients with GH deficiency after discontinuation of treatment at final height; timing and peak values for lumbar BMD: 175
Barth, J.H. *see* Wieringa, G.E.
Barth, J.H. *see* Wijeyaratne, C.N.
Bedecarrás, P. *see* Trigo, R.V.
Belchetz, P.E. *see* Wijeyaratne, C.N.
Bellastella, A. *see* de Bellis, A.
Bellastella, G. *see* de Bellis, A.
de Bellis, A., Perrino, S., Coronella, C., Sansone, D., Ruocco, G., Tirelli, G., Di Martino, S., Conte, M., Bellastella, G., Wall, J.R., Bellastella, A. & Bizzarro, A. Extraocular muscle antibodies and the occurrence of ophthalmopathy in Graves' disease: 694
Bellone, J. *see* Bellone, S.
Bellone, S., Rapa, A., Vivenza, D., Vercellotti, A., Petri, A., Radetti, G., Bellone, J., Broglio, F., Ghigo, E. & Bona, G. Circulating ghrelin levels in the newborn are positively associated with gestational age: 613
Bennett, P. *see* Christiansen, J.J.
van den Berg, G. *see* van Aken, M.O.
Bergadá, C. *see* Trigo, R.V.
Bergadá, I. *see* Trigo, R.V.
Bertelloni, S. *see* Baroncelli, G.I.
Berti, P. *see* Cetani, F.
Besser, G.M. *see* Carroll, P.V.
Betts, P. *see* Park, S.-M.
Bex, M. *see* Caron, P.
Biermasz, N.R., Hamdy, N.A.T., Pereira, A.M., Romijn, J.A. & Roelfsema, F. Long-term skeletal effects of recombinant human growth hormone (rhGH) alone and rhGH combined with alendronate in GH-deficient adults: a seven-year follow-up study: 568
Billestrup, N. *see* Clausen, L.R.
Bizzarro, A. *see* de Bellis, A.
Bjarnason, R. *see* Blair, J.C.
Blaabjerg, O. *see* Clausen, L.R.
Blair, J.C., Camacho-Hübner, C., Moud, F.M., Rosberg, S., Burren, C., Lim, S., Clayton, P.E., Bjarnason, R., Albertsson-Wikland, K. & Savage, M.O. Standard and low-dose IGF-1 generation tests and spontaneous growth hormone secretion in children with idiopathic short stature: 163
Bloom, S.R. *see* Malik, I.A.
Bloom, S.R. *see* Neary, N.M.
Bolund, L. *see* Christensen, J.H.
Bona, G. *see* Bellone, S.
Bonelli, F.S. *see* Erickson, D.

© 2004 Blackwell Publishing Ltd

Index

Åkerström, G. *see* Buchwald, P.C.
Achermann, J.C. *see* Lin, L.
Afshar, F. *see* Carroll, P.V.
Agha, A., Liew, A., Finucane, F., Baker, L., O'Kelly, P., Tormey, W. & Thompson, C.J. Conventional glucocorticoid replacement overtreats adult hypopituitary patients with partial ACTH deficiency: 688
Agha, A., Rogers, B., Mylotte, D., Taleb, F., Tormey, W., Phillips, J. & Thompson, C.J. Neuroendocrine dysfunction in the acute phase of traumatic brain injury: 584
Aguilera, A. *see* Iglesias, P.
Ahmad, A.M. *see* White, H.D.
van Aken, M.O., Pereira, A.M., van den Berg, G., Romijn, J.A., Veldhuis, J.D. & Roelfsema, F. Profound amplification of secretory-burst mass and anomalous regularity of ACTH secretory process in patients with Nelson's syndrome compared with Cushing's disease: 765
Alba, M., Hall, C.M., Whatmore, A.J., Clayton, P.E., Price, D.A. & Salvatori, R. Variability in anterior pituitary size within members of a family with GH deficiency due to a new splice mutation in the GHRH receptor gene: 470
Albertsson-Wikland, K. *see* Blair, J.C.
Allahabadia, A. *see* Harper, L.
Allan, C.A. & McLachlan, R.I. Age-related changes in testosterone and the role of replacement therapy in older men: 653
Allolio, B., Hahner, S., Weismann, D. & Fassnacht, M. Management of adrenocortical carcinoma: 273
Alviggi, C. *see* de Placido, G.
Alviggi, E. *see* de Placido, G.
Andersen, M. *see* Christiansen, J.J.
Arnhold, I.J.P. *see* Jorge, A.A.L.
Arvat, E. *see* Broglio, F.
Auchus, R.J. & Rainey, W.E. Adrenarche – physiology, biochemistry and human disease: 288
Ayuk, J., Stewart, S.E., Stewart, P.M. & Sheppard, M.C. Efficacy of Sandostatin® LAR® (long-acting somatostatin analogue) is similar in patients with untreated acromegaly and in those previously treated with surgery and/or radiotherapy: 375
Azizi, F. *see* Raiszadeh, F.
Bajo, M.A. *see* Iglesias, P.
Baker, L. *see* Agha, A.
Balbo, M. *see* Broglio, F.
Balen, A.H. *see* Wijeyaratne, C.N.
Ballerini, M.G. *see* Trigo, R.V.
Balzan, S. *see* Nicolini, G.
Bano, G. *see* Kaushal, R.
Barker, D.J.P. *see* Kajantie, E.
Baroncelli, G.I., Bertelloni, S., Sodini, F. & Saggese, G. Longitudinal changes of lumbar bone mineral density (BMD) in patients with GH deficiency after discontinuation of treatment at final height; timing and peak values for lumbar BMD: 175
Barth, J.H. *see* Wieringa, G.E.
Barth, J.H. *see* Wijeyaratne, C.N.
Bedecarrás, P. *see* Trigo, R.V.
Belchetz, P.E. *see* Wijeyaratne, C.N.
Bellastella, A. *see* de Bellis, A.
Bellastella, G. *see* de Bellis, A.
de Bellis, A., Perrino, S., Coronella, C., Sansone, D., Ruocco, G., Tirelli, G., Di Martino, S., Conte, M., Bellastella, G., Wall, J.R., Bellastella, A. & Bizzarro, A. Extraocular muscle antibodies and the occurrence of ophthalmopathy in Graves' disease: 694
Bellone, J. *see* Bellone, S.
Bellone, S., Rapa, A., Vivenza, D., Vercellotti, A., Petri, A., Radetti, G., Bellone, J., Broglio, F., Ghigo, E. & Bona, G. Circulating ghrelin levels in the newborn are positively associated with gestational age: 613
Bennett, P. *see* Christiansen, J.J.
van den Berg, G. *see* van Aken, M.O.
Bergadá, C. *see* Trigo, R.V.
Bergadá, I. *see* Trigo, R.V.
Bertelloni, S. *see* Baroncelli, G.I.
Berti, P. *see* Cetani, F.
Besser, G.M. *see* Carroll, P.V.
Betts, P. *see* Park, S.-M.
Bex, M. *see* Caron, P.
Biermasz, N.R., Hamdy, N.A.T., Pereira, A.M., Romijn, J.A. & Roelfsema, F. Long-term skeletal effects of recombinant human growth hormone (rhGH) alone and rhGH combined with alendronate in GH-deficient adults: a seven-year follow-up study: 568
Billestrup, N. *see* Clausen, L.R.
Bizzarro, A. *see* de Bellis, A.
Bjarnason, R. *see* Blair, J.C.
Blaabjerg, O. *see* Clausen, L.R.
Blair, J.C., Camacho-Hübner, C., Moud, F.M., Rosberg, S., Burren, C., Lim, S., Clayton, P.E., Bjarnason, R., Albertsson-Wikland, K. & Savage, M.O. Standard and low-dose IGF-1 generation tests and spontaneous growth hormone secretion in children with idiopathic short stature: 163
Bloom, S.R. *see* Malik, I.A.
Bloom, S.R. *see* Neary, N.M.
Bolund, L. *see* Christensen, J.H.
Bona, G. *see* Bellone, S.
Bonelli, F.S. *see* Erickson, D.

© 2004 Blackwell Publishing Ltd

Borrelli, A.L. *see* de Placido, G.
Borsari, S. *see* Cetani, F.
Borson-Chazot, F. *see* Nehar, D.
Botas, P. *see* López-Bermejo, A.
Bower, L. *see* Paisey, R.B.
Brix, T.H., Hansen, P.S., Kyvik, K.O. & Hegedüs, L. Aggregation of thyroid autoantibodies in first-degree relatives of patients with autoimmune thyroid disease is mainly due to genes: a twin study: 329
Broglio, F. *see* Bellone, S.
Broglio, F., Gianotti, L., Destefanis, S., Fassino, S., Daga, G.A., Mondelli, V., Lanfranco, F., Gottero, C., Gauna, C., Hofland, L., van der Lely, A.J. & Ghigo, E. The endocrine response to acute ghrelin administration is blunted in patients with anorexia nervosa, a ghrelin hypersecretory state: 592
Broglio, F., Prodam, F., Gottero, C., Destefanis, S., Me, E., Riganti, F., Giordano, R., Picu, A., Balbo, M., van der Lely, A.J., Ghigo, E. & Arvat, E. Ghrelin does not mediate the somatotroph and corticotroph responses to the stimulatory effect of glucagon or insulin-induced hypoglycaemia in humans: 699
Brosnihan, K.B. *see* Seely, E.W.
Buchpiguel, C. *see* Silva, M.N.C.
Buchwald, P.C., Åkerström, G. & Westin, G. Reduced $p18^{INK4c}$, $p21^{CIP1/WAF1}$ and $p27^{KIP1}$ mRNA levels in tumours of primary and secondary hyperparathyroidism: 389
Buckingham, J.C. *see* Mulla, A.
Bullen, J. *see* Stamatiadis, D.N.
Burren, C. *see* Blair, J.C.
Buzi, F., Maccarinelli, G., Guaragni, B., Ruggeri, F., Radetti, G., Meini, A., Mazzolari, E. & Cocchi, D. Serum osteoprotegerin and receptor activator of nuclear factors kB (RANKL) concentrations in normal children and in children with pubertal precocity, Turner's syndrome and rheumatoid arthritis: 87
Cacciari, M. *see* Gambineri, A.
Camacho-Hübner, C. *see* Blair, J.C.
Camargo, R. *see* Silva, M.N.C.
Camargo-Neto, E. *see* Kreisner, E.
Campbell, V. *see* Vaidya, B.
Campo, S. *see* Trigo, R.V.
Cardia, M.S. *see* Silva, M.N.C.
Carey, C.M. *see* Paisey, R.B.
Carnevale, V., Manfredi, G., Romagnoli, E., De Geronimo, S., Paglia, F., Pepe, J., Scillitani, A., D'Erasmo, E. & Minisola, S. Vitamin D status in female patients with primary hyperparathyroidism: does it play a role in skeletal damage?: 81
Caron, P., Bex, M., Cullen, D.R., Feldt-Rasmussen, U., Pico Alfonso, A.M., Pynka, S., Racz, K., Schopohl, J., Tabarin, A. & Valimaki, M.J. One-year follow-up of patients with acromegaly treated with fixed or titrated doses of lanreotide Autogel®: 734
Carpenter, P.C. *see* Erickson, D.
Carroll, P.V., Monson, J.P., Grossman, A.B., Besser, G.M., Plowman, P.N., Afshar, F. & Savage, M.O. Successful treatment of childhood-onset Cushing's disease is associated with persistent reduction in growth hormone secretion: 169
Casanueva, F.F. *see* Mazziotti, G.
Casanueva, F.F. *see* Popovic, V.
Cetani, F., Pardi, E., Viacava, P., Di Pollina, G., Fanelli, G., Picone, A., Borsari, S., Gazzerro, E., Miccoli, P., Berti, P., Pinchera, A. & Marcocci, C. A reappraisal of the Rb1 gene abnormalities in the diagnosis of parathyroid cancer: 99
Chan, J.L. *see* Stamatiadis, D.N.
Chang, R.J. *see* Patel, K.
Chase, D. *see* Davidson, P.
Chatterjee, V.K.K. *see* Park, S.-M.
Chayvialle, J.-A. *see* Nehar, D.
Chen, Q. *see* Nomura, R.
Chiamolera, M.I. *see* Martins, J.R.M.
Chihara, K. *see* Nomura, R.
Chin, L. *see* Harper, L.
Christ, M. *see* Hofbauer, L.C.
Christensen, J.H., Siggaard, C., Corydon, T.J., Robertson, G.L., Gregersen, N., Bolund, L. & Rittig, S. Impaired trafficking of mutated AVP prohormone in cells expressing rare disease genes causing autosomal dominant familial neurohypophyseal diabetes insipidus: 125
Christian, H.C. *see* Mulla, A.
Christiansen, J.J., Gravholt, C.H., Fisker, S., Svenstrup, B., Bennett, P., Veldhuis, J., Andersen, M., Christiansen, J.S. & Jørgensen, J.O.L. Dehydroepiandrosterone supplementation in women with adrenal failure: impact on twenty-four hour GH secretion and IGF-related parameters: 461
Christiansen, J.S. *see* Christiansen, J.J.
Ciccarelli, A. *see* Vitale, G.
Clausen, L.R., Kristiansen, M.T., Rasmussen, L.M., Billestrup, N., Blaabjerg, O., Ledet, T. & Jørgensen, J.O.L. Growth hormone receptor expression and function in pituitary adenomas: 576
Claustrat, B. *see* Nehar, D.
Clayton, P.E. *see* Alba, M.
Clayton, P.E. *see* Blair, J.C.
Clewes, A. *see* White, H.D.
Clifton-Bligh, R.J. *see* Park, S.-M.
Cocchi, D. *see* Buzi, F.
Coffler, M.S. *see* Patel, K.
Cogswell, R. *see* Stamatiadis, D.N.
Colao, A. *see* Salerno, M.
Colao, A. *see* Vitale, G.
Collins, J.E., Heward, J.M., Nithiyananthan, R., Nejentsev, S., Todd, J.A., Franklyn, J.A. & Gough, S.C.L. Lack of

association of the vitamin D receptor gene with Graves' disease in UK Caucasians: 618
Colzani, R. *see* Nicolini, G.
Comellas, A.P. *see* Sam, S.
Conforti, S. *see* de Placido, G.
Conte, M. *see* de Bellis, A.
Conway, A.J. *see* Kelleher, S.
Conway, G.S. *see* Tsilchorozidou, T.
Cooper, C. *see* Davidson, P.
Cooper, D.S. Subclinical thyroid disease: consensus or conundrum?: 410
Corbridge, T.C. *see* Sam, S.
Coronella, C. *see* de Bellis, A.
Corydon, T.J. *see* Christensen, J.H.
Crook, D. *see* Godsland, I.F.
Cullen, D.R. *see* Caron, P.
D'Erasmo, E. *see* Carnevale, V.
Díez, J.J. *see* Iglesias, P.
Dabers, T. *see* Siegmund, W.
Dafopoulos, K.C., Kotsovassilis, C.P., Milingos, S.D., Kallitsaris, A.T., Georgadakis, G.S., Sotiros, P.G. & Messinis, I.E. FSH and LH responses to GnRH after ovariectomy in postmenopausal women: 120
Daga, G.A. *see* Broglio, F.
Dahan, M.H. *see* Patel, K.
Dalm, V.A.S.H., van Hagen, P.M., de Krijger, R.R., Kros, J.M., van Koetsveld, P.M., van der Lely, A.-J., Lamberts, S.W.J. & Hofland, L.J. Distribution pattern of somatostatin and cortistatin mRNA in human central and peripheral tissues: 625
Damjanovic, S. *see* Popovic, V.
Danias, P.G. *see* Tritos, N.A.
Davidson, P., Milne, R., Chase, D. & Cooper, C. Growth hormone replacement in adults and bone mineral density: a systematic review and meta-analysis: 92
Davies, J.H., Evans, B.A.J., Jones, E., Evans, W.D., Jenney, M.E.M. & Gregory, J.W. Osteopenia, excess adiposity and hyperleptinaemia during 2 years of treatment for childhood acute lymphoblastic leukaemia without cranial irradiation: 358
Daykin, J. *see* Harper, L.
Delgado, E. *see* López-Bermejo, A.
Destefanis, S. *see* Broglio, F.
Deutsch, R. *see* Patel, K.
Di Martino, S. *see* de Bellis, A.
Di Pollina, G. *see* Cetani, F.
Di Somma, C. *see* Salerno, M.
Diamandi, A. *see* Rucker, D.
Dieguez, C. *see* Popovic, V.
Dietrich, C.P. *see* Martins, J.R.M.
de Divitiis, O. *see* Vitale, G.
Doucet, É. *see* Imbeault, P.
Duckworth, W.C. *see* Murata, G.H.
Ellard, S. *see* Vaidya, B.
Engel, G. *see* Siegmund, W.
English, P.J. *see* Malik, I.A.
Erickson, D., Huston, J., Young, W.F., Carpenter, P.C., Wermers, R.A., Bonelli, F.S. & Powell, C.C. Internal jugular vein sampling in adrenocorticotropic hormone-dependent Cushing's syndrome: a comparison with inferior petrosal sinus sampling: 413
Eriksson, J. *see* Kajantie, E.
Esposito, V. *see* Salerno, M.
Etemadi, A. *see* Raiszadeh, F.
Evans, B.A.J. *see* Davies, J.H.
Evans, W.D. *see* Davies, J.H.
Ezzat, S. *see* Rucker, D.
Füst, G. *see* Visy, B.
Faber, J. *see* Schultz, M.
Fanelli, G. *see* Cetani, F.
Farina, V. *see* Salerno, M.
Farkas, H. *see* Visy, B.
Fassino, S. *see* Broglio, F.
Fassnacht, M. *see* Allolio, B.
Fekete, B. *see* Visy, B.
Feldt-Rasmussen, U. *see* Caron, P.
Felton, C.V. *see* Godsland, I.F.
Fernández-Real, J.M. *see* López-Bermejo, A.
Fernández-Reyes, M.J. *see* Iglesias, P.
Finucane, F. *see* Agha, A.
Fisker, S. *see* Christiansen, J.J.
Fong, K.S. *see* Goh, S.Y.
Forsén, T. *see* Kajantie, E.
Fountoulakis, S. & Tsatsoulis, A. On the pathogenesis of autoimmune thyroid disease: a unifying hypothesis: 397
Franklyn, J.A. *see* Collins, J.E.
Franklyn, J.A. *see* Harper, L.
Fraser, W.D. *see* White, H.D.
Funahashi, T. *see* López-Bermejo, A.
Furlanetto, R.P. *see* Martins, J.R.M.
Gai, V. *see* Lanfranco, F.
Galderisi, M. *see* Vitale, G.
Gambineri, A., Pelusi, C., Genghini, S., Morselli-Labate, A.M., Cacciari, M., Pagotto, U. & Pasquali, R. Effect of flutamide and metformin administered alone or in combination in dieting obese women with polycystic ovary syndrome: 241
Gauna, C. *see* Broglio, F.
Gazzerro, E. *see* Cetani, F.
Gebrin, E.M.M.S. *see* Silva, M.N.C.
Genghini, S. *see* Gambineri, A.
Georgadakis, G.S. *see* Dafopoulos, K.C.
de Geronimo, S. *see* Carnevale, V.
Ghatei, M.A. *see* Malik, I.A.

Ghigo, E. *see* Bellone, S.
Ghigo, E. *see* Broglio, F.
Ghigo, E. *see* Lanfranco, F.
Giannakopoulos, F. *see* Karavitaki, N.
Gianotti, L. *see* Broglio, F.
Gianotti, L. *see* Lanfranco, F.
Giessmann, T. *see* Siegmund, W.
Gilad, S. *see* Greenman, Y.
Giordano, R. *see* Broglio, F.
Godsland, I.F., Manassiev, N.A., Felton, C.V., Proudler, A.J., Crook, D., Whitehead, M.I. & Stevenson, J.C. Effects of low and high dose oestradiol and dydrogesterone therapy on insulin and lipoprotein metabolism in healthy postmenopausal women: 541
Goh, S.Y., Ho, S.C., Seah, L.L., Fong, K.S. & Khoo, D.H.C. Thyroid autoantibody profiles in ophthalmic dominant and thyroid dominant Graves' disease differ and suggest ophthalmopathy is a multiantigenic disease: 600
Golani, N. *see* Greenman, Y.
Goldstone, A.P. *see* Neary, N.M.
Gong, G. *see* Kim, W.B.
Gong, G. *see* Nam-Goong, I.S.
Gottero, C. *see* Broglio, F.
Gottlieb, S. *see* Trigo, R.V.
Gough, S.C. *see* Harper, L.
Gough, S.C.L. *see* Collins, J.E.
Gravholt, C.H. *see* Christiansen, J.J.
Greenman, Y., Golani, N., Gilad, S., Yaron, M., Limor, R. & Stern, N. Ghrelin secretion is modulated in a nutrient- and gender-specific manner: 382
Gregersen, N. *see* Christensen, J.H.
Gregory, J.W. *see* Davies, J.H.
Gross, J.L. *see* Kreisner, E.
Grossman, A.B. *see* Carroll, P.V.
Guaragni, B. *see* Buzi, F.
van Hagen, P.M. *see* Dalm, V.A.S.H.
Hahner, S. *see* Allolio, B.
Hall, C.M. *see* Alba, M.
Hamdy, N.A.T. *see* Biermasz, N.R.
Hamm, A.O. *see* Siegmund, W.
Han, S.-M. *see* Kim, W.B.
Hana, V., Silha, J.V., Justova, V., Lacinova, Z., Stepan, J.J. & Murphy, L.J. The effects of GH replacement in adult GH-deficient patients: changes in body composition without concomitant changes in the adipokines and insulin resistance: 442
Hána, V. *see* Krsek, M.
Handelsman, D.J. *see* Kelleher, S.
Hanley, D.A. *see* Rucker, D.
Hansen, P.S. *see* Brix, T.H.
Harmat, G. *see* Visy, B.
Harper, L., Chin, L., Daykin, J., Allahabadia, A., Heward, J., Gough, S.C., Savage, C.O. & Franklyn, J.A. Propylthiouracil and carbimazole associated-antineutrophil cytoplasmic antibodies (ANCA) in patients with Graves' disease: 671
Harper, M.E. *see* Imbeault, P.
Hashimoto, N. *see* Takahashi, J.A.
Hattersley, A.T. *see* Vaidya, B.
He, C.-T., Hsieh, A.-T., Pei, D., Hung, Y.-J., Wu, L.-Y., Yang, T.-C., Lian, W.-C., Huang, W.-S. & Kuo, S.-W. Comparison of single daily dose of methimazole and propylthiouracil in the treatment of Graves' hyperthyroidism: 676
Hegedüs, L. *see* Brix, T.H.
Hermus, A.R. *see* Huysmans, D.A.
Herrington, D.M. *see* Seely, E.W.
Heward, J. *see* Harper, L.
Heward, J.M. *see* Collins, J.E.
Hildebrandt, P. *see* Schultz, M.
Hindmarsh, P.C. Standard and low-dose IGF-1 generation tests and spontaneous growth hormone secretion in children with idiopathic short stature: 161
Ho, S.C. *see* Goh, S.Y.
Hofbauer, L.C., Schoppet, M., Schüller, P., Viereck, V. & Christ, M. Effects of oral contraceptives on circulating osteoprotegerin and soluble RANK ligand serum levels in healthy young women: 214
Hoffman, R.M. *see* Murata, G.H.
Hofland, L. *see* Broglio, F.
Hofland, L.J. *see* Dalm, V.A.S.H.
Hollenberg, N.K. *see* Seely, E.W.
Hong, J.S. *see* Koh, J.-M.
Hong, S.J. *see* Kim, W.B.
Hong, S.J. *see* Nam-Goong, I.S.
de Horatio, L.T. *see* Salerno, M.
Howe, C. *see* Kelleher, S.
Hsieh, A.-T. *see* He, C.-T.
Huang, W.-S. *see* He, C.-T.
Hung, Y.-J. *see* He, C.-T.
Huston, J. *see* Erickson, D.
Huysmans, D.A., Nieuwlaat, W.-A. & Hermus, A.R. Towards larger volume reduction of nodular goitres by radioiodine therapy: a role for pretreatment with recombinant human thyrotropin?: 297
Ichikawa, T. *see* Tatsuno, I.
Iervasi, G. *see* Nicolini, G.
Iglesias, P., Díez, J.J., Fernández-Reyes, M.J., Méndez, J., Bajo, M.A., Aguilera, A. & Selgas, R. Growth hormone, IGF-I and its binding proteins (IGFBP-1 and -3) in adult uraemic patients undergoing peritoneal dialysis and haemodialysis: 741
Iitaka, M., Morgenthaler, N.G., Momotani, N., Nagata, A., Ishikawa, N., Ito, K., Katayama, S. & Ito, K. Stimulation

of thyroid-stimulating hormone (TSH) receptor antibody production following painless thyroiditis: 49
Imbeault, P., Pomerleau, M., Harper, M.E. & Doucet, É. Unchanged fasting and postprandial adiponectin levels following a 4-day caloric restriction in young healthy men: 429
Ioannidis, G. *see* Karavitaki, N.
Ishikawa, N. *see* Iitaka, M.
Ito, K. *see* Iitaka, M.
Jørgensen, J.O.L. *see* Christiansen, J.J.
Jørgensen, J.O.L. *see* Clausen, L.R.
Jarløv, A. *see* Schultz, M.
Jenney, M.E.M. *see* Davies, J.H.
Jeunemaitre, X. *see* Seely, E.W.
Jezková, J. *see* Krsek, M.
Johannsson, G., Sunnerhagen, K.S. & Svensson, J. Baseline characteristics and the effects of two years of growth hormone replacement therapy in adults with growth hormone deficiency previously treated for Cushing's disease: 550
Jones, E. *see* Davies, J.H.
Jorge, A.A.L., Souza, S.C.A.L., Arnhold, I.J.P. & Mendonca, B.B. The first homozygous mutation (S226I) in the highly-conserved WSXWS-like motif of the GH receptor causing Laron syndrome: supression of GH secretion by GnRH analogue therapy not restored by dihydrotestosterone administration: 36
Justova, V. *see* Hana, V.
Kajantie, E., Eriksson, J., Osmond, C., Wood, P.J., Forsén, T., Barker, D.J.P. & Phillips, D.I.W. Size at birth, the metabolic syndrome and 24-h salivary cortisol profile: 201
Kallitsaris, A.T. *see* Dafopoulos, K.C.
Karádi, I. *see* Visy, B.
Karavitaki, N. *see* Tzanela, M.
Karavitaki, N., Ioannidis, G., Giannakopoulos, F., Mavrokefalos, P. & Thalassinos, N. Evaluation of bone mineral density of the peripheral skeleton in pre- and postmenopausal women with newly diagnosed endogenous Cushing's syndrome: 264
Kaski, J-C. *see* Kaushal, R.
Katayama, S. *see* Iitaka, M.
Katsilambros, N. *see* Stamatiadis, D.N.
Kaushal, R., Parchure, N., Bano, G., Kaski, J.-C. & Nussey, S.S. Insulin resistance and endothelial dysfunction in the brothers of Indian subcontinent Asian women with polycystic ovaries: 322
Kawai, M., Momoi, T., Mamada, M., Yorifuji, T. & Nakahata, T. Earlier initiation of GH therapy does not influence adult height but enables earlier start of pubertal induction in children with multiple pituitary hormone deficiency: 608
Kelleher, S., Howe, C., Conway, A.J. & Handelsman, D.J. Testosterone release rate and duration of action of testosterone pellet implants: 420
Khoo, D.H.C. *see* Goh, S.Y.
Khosravi, J. *see* Rucker, D.
Kihara, S. *see* López-Bermejo, A.
Kim, G.S. *see* Koh, J.-M.
Kim, H.-K. *see* Koh, J.-M.
Kim, H.Y. *see* Nam-Goong, I.S.
Kim, J.S. *see* Koh, J.-M.
Kim, S.-Y. *see* Koh, J.-M.
Kim, T.Y. *see* Kim, W.B.
Kim, W.B. *see* Nam-Goong, I.S.
Kim, W.B., Han, S.-M., Kim, T.Y., Nam-Goong, I.S., Gong, G., Lee, H.K., Hong, S.J. & Shong, Y.K. Ultrasonographic screening for detection of thyroid cancer in patients with Graves' disease: 719
Kirsch, G. *see* Siegmund, W.
Kissinger, K.V. *see* Tritos, N.A.
Kistorp, C. *see* Schultz, M.
Kobayashi, A. *see* Nomura, R.
van Koetsveld, P.M. *see* Dalm, V.A.S.H.
Koh, J.-M., Nam-Goong, I.S., Hong, J.S., Kim, H.-K., Kim, J.S., Kim, S.-Y. & Kim, G.S. Oestrogen receptor α genotype, and interactions between vitamin D receptor and transforming growth factor-β1 genotypes are associated with quantitative calcaneal ultrasound in postmenopausal women: 232
Koide, H. *see* Tatsuno, I.
Kotsovassilis, C.P. *see* Dafopoulos, K.C.
Kreisner, E., Schermann, L., Camargo-Neto, E. & Gross, J.L. Predictors of intellectual outcome in a cohort of brazilian children with congenital hypothyroidism: 250
de Krijger, R.R. *see* Dalm, V.A.S.H.
Kristiansen, M.T. *see* Clausen, L.R.
Kros, J.M. *see* Dalm, V.A.S.H.
Krsek, M., Silha, J.V., Jezková, J., Hána, V., Marek, J., Weiss, V., Stepán, J.J. & Murphy, L.J. Adipokine levels in Cushing's syndrome; elevated resistin levels in female patients with Cushing's syndrome: 350
Kuo, S.-W. *see* He, C.-T.
Kyvik, K.O. *see* Brix, T.H.
López-Bermejo, A., Botas, P., Funahashi, T., Delgado, E., Kihara, S., Ricart, W. & Fernández-Real, J.M. Adiponectin, hepatocellular dysfunction and insulin sensitivity: 256
Lacinova, Z. *see* Hana, V.
Lage, M. *see* Mazziotti, G.
Lamberts, S.W.J. *see* Dalm, V.A.S.H.
Lanfranco, F. *see* Broglio, F.
Lanfranco, F., Gianotti, L., Pivetti, S., Navone, F., Rossetto, R., Tassone, F., Gai, V., Ghigo, E. & Maccario, M. Obese patients with obstructive sleep apnoea syndrome show a peculiar alteration of the corticotroph but not of the thyrotroph and lactotroph function: 41
Lanfranco, F., Zitzmann, M., Simoni, M. & Nieschlag, E. Serum

adiponectin levels in hypogonadal males: influence of testosterone replacement therapy: 500
Lazarus, J.H. *see* Mazziotti, G.
Ledet, T. *see* Clausen, L.R.
Lee, H.K. *see* Kim, W.B.
Lee, H.K. *see* Nam-Goong, I.S.
van der Lely, A.J. *see* Broglio, F.
van der Lely, A.-J. *see* Dalm, V.A.S.H.
Lian, W.-C. *see* He, C.-T.
Liew, A. *see* Agha, A.
Lim, S. *see* Blair, J.C.
Limor, R. *see* Greenman, Y.
Lin, L. & Achermann, J.C. Inherited adrenal hypoplasia: not just for kids!: 529
Lombard-Bohas, C. *see* Nehar, D.
Lombardi, G. *see* Salerno, M.
Lombardi, G. *see* Vitale, G.
Maccarinelli, G. *see* Buzi, F.
Maccario, M. *see* Lanfranco, F.
MacFarlane, I.A. *see* Malik, I.A.
Maciel, R.M.B. *see* Martins, J.R.M.
Maffei, P. *see* Paisey, R.B.
Malcom, P.J. *see* Patel, K.
Malik, I.A., English, P.J., Ghatei, M.A., Bloom, S.R., MacFarlane, I.A. & Wilding, J.P.H. The relationship of ghrelin to biochemical and anthropometric markers of adult growth hormone deficiency: 137
Mamada, M. *see* Kawai, M.
Manassiev, N.A. *see* Godsland, I.F.
Manfredi, G. *see* Carnevale, V.
Manning, W.J. *see* Tritos, N.A.
Mansell, P. *see* Paisey, R.B.
Manso, P.G. *see* Martins, J.R.M.
Mantzoros, C.S. *see* Stamatiadis, D.N.
Marcocci, C. *see* Cetani, F.
Marek, J. *see* Krsek, M.
Marikovic, J. *see* Popovic, V.
Marjono, B. *see* Wallace, E.M.
Marshall, J. *see* Paisey, R.B.
Martins, J.R.M., Furlanetto, R.P., Oliveira, L.M., Mendes, A., Passerotti, C.C., Chiamolera, M.I., Rocha, A.J., Manso, P.G., Nader, H.B., Dietrich, C.P. & Maciel, R.M.B. Comparison of practical methods for urinary glycosaminoglycans and serum hyaluronan with clinical activity scores in patients with Graves' ophthalmopathy: 726
Mavrokefalos, P. *see* Karavitaki, N.
Mazziotti, G., Parkes, A.B., Lage, M., Premawardhana, L.D.K.E., Casanueva, F.F. & Lazarus, J.H. High leptin levels in women developing postpartum thyroiditis: 208
Mazzolari, E. *see* Buzi, F.
McLachlan, R.I. *see* Allan, C.A.
Me, E. *see* Broglio, F.
Medeiros-Neto, G. *see* Silva, M.N.C.
Meini, A. *see* Buzi, F.
Mendes, A. *see* Martins, J.R.M.
Méndez, J. *see* Iglesias, P.
Mendonca, B.B. *see* Jorge, A.A.L.
Mendoza, N. *see* Mulla, A.
Meng, W. *see* Siegmund, W.
Messinis, I.E. *see* Dafopoulos, K.C.
Miccoli, P. *see* Cetani, F.
Micic, D. *see* Popovic, V.
Milingos, S.D. *see* Dafopoulos, K.C.
Milne, R. *see* Davidson, P.
Minisola, S. *see* Carnevale, V.
Modess, C. *see* Siegmund, W.
Mokhlesi, B. *see* Sam, S.
Molitch, M.E. *see* Sam, S.
Mollo, A. *see* de Placido, G.
Momoi, T. *see* Kawai, M.
Momotani, N. *see* Iitaka, M.
Mondelli, V. *see* Broglio, F.
Monson, J.P. *see* Carroll, P.V.
Morgenthaler, N.G. *see* Iitaka, M.
Morris, J.F. *see* Mulla, A.
Morselli-Labate, A.M. *see* Gambineri, A.
Moud, F.M. *see* Blair, J.C.
Mukherjee, A., Murray, R.D., Teasdale, G.M. & Shalet, S.M. Acquired prolactin deficiency (APD) after treatment for Cushing's disease is a reliable marker of irreversible severe GHD but does not reflect disease status: 476
Mulla, A., Christian, H.C., Solito, E., Mendoza, N., Morris, J.F. & Buckingham, J.C. Expression, subcellular localization and phosphorylation status of annexins 1 and 5 in human pituitary adenomas and a growth hormone-secreting carcinoma: 107
Murata, G.H., Duckworth, W.C., Shah, J.H., Wendel, C.S. & Hoffman, R.M. Sources of glucose variability in insulin-treated type 2 diabetes: the Diabetes Outcomes in Veterans Study (DOVES): 451
Murphy, L.J. *see* Hana, V.
Murphy, L.J. *see* Krsek, M.
Murray, R.D. *see* Mukherjee, A.
Muzzica, S. *see* Salerno, M.
Mylotte, D. *see* Agha, A.
Nader, H.B. *see* Martins, J.R.M.
Nagata, A. *see* Iitaka, M.
Nakahata, T. *see* Kawai, M.
Nakao, K. *see* Takahashi, J.A.
Nam-Goong, I.S. *see* Kim, W.B.
Nam-Goong, I.S. *see* Koh, J.-M.
Nam-Goong, I.S., Kim, H.Y., Gong, G., Lee, H.K., Hong, S.J.,

Kim, W.B. & Shong, Y.K. Ultrasonography-guided fine-needle aspiration of thyroid incidentaloma: correlation with pathological findings: 21
Nauck, M. *see* Siegmund, W.
Navone, F. *see* Lanfranco, F.
Neary, N.M., Goldstone, A.P. & Bloom, S.R. Appetite regulation: from the gut to the hypothalamus: 153
Nehar, D., Lombard-Bohas, C., Olivieri, S., Claustrat, B., Chayvialle, J.-A., Penes, M.-C., Sassolas, G. & Borson-Chazot, F. Interest of Chromogranin A for diagnosis and follow-up of endocrine tumours: 644
Nejentsev, S. *see* Collins, J.E.
Nicolini, G., Balzan, S., Colzani, R., Scarlattini, M., Taddei, M.C. & Iervasi, G. Erythrocyte Na^+/K^+-ATPase is increased in subjects with subclinical hypothyroidism: 705
Nieschlag, E. *see* Lanfranco, F.
Nieuwlaat, W.-A. *see* Huysmans, D.A.
Nirantharakumar, K. *see* Wijeyaratne, C.N.
Nithiyananthan, R. *see* Collins, J.E.
Nomura, R., Sugimoto, T., Tsukamoto, T., Yamauchi, M., Sowa, H., Chen, Q., Yamaguchi, T., Kobayashi, A. & Chihara, K. Marked and sustained increase in bone mineral density after parathyroidectomy in patients with primary hyperparathyroidism; a six-year longitudinal study with or without parathyroidectomy in a Japanese population: 335
Nussey, S.S. *see* Kaushal, R.
Okamura, K. *see* Seely, E.W.
O'Kelly, P. *see* Agha, A.
Oliveira, L.M. *see* Martins, J.R.M.
Olivieri, S. *see* Nehar, D.
Osmond, C. *see* Kajantie, E.
Overton, C. *see* Tsilchorozidou, T.
Paglia, F. *see* Carnevale, V.
Pagotto, U. *see* Gambineri, A.
Paisey, R.B., Carey, C.M., Bower, L., Marshall, J., Taylor, P., Maffei, P. & Mansell, P. Hypertriglyceridaemia in Alström's syndrome: causes and associations in 37 cases: 228
Parchure, N. *see* Kaushal, R.
Pardi, E. *see* Cetani, F.
Park, S.-M., Clifton-Bligh, R.J., Betts, P. & Chatterjee, V.K.K. Congenital hypothyroidism and apparent athyreosis with compound heterozygosity or compensated hypothyroidism with probable hemizygosity for inactivating mutations of the TSH receptor: 220
Parkes, A.B. *see* Mazziotti, G.
Pasquali, R. *see* Gambineri, A.
Passerotti, C.C. *see* Martins, J.R.M.
Patel, K., Coffler, M.S., Dahan, M.H., Malcom, P.J., Deutsch, R. & Chang, R.J. Relationship of GnRH-stimulated LH release to episodic LH secretion and baseline endocrine-metabolic measures in women with polycystic ovary syndrome: 67
Pedersen, F. *see* Schultz, M.
Pei, D. *see* He, C.-T.
Pekic, S. *see* Popovic, V.
Pelusi, C. *see* Gambineri, A.
Penes, M.-C. *see* Nehar, D.
Pepe, J. *see* Carnevale, V.
Pereira, A.M. *see* Biermasz, N.R.
Pereira, A.M. *see* van Aken, M.O.
Perrino, S. *see* de Bellis, A.
Peter, R. *see* White, H.D.
Petri, A. *see* Bellone, S.
Phillips, D.I.W. *see* Kajantie, E.
Phillips, J. *see* Agha, A.
Pico Alfonso, A.M. *see* Caron, P.
Picone, A. *see* Cetani, F.
Picu, A. *see* Broglio, F.
Pinchera, A. *see* Cetani, F.
Pivetti, S. *see* Lanfranco, F.
Pivonello, R. *see* Vitale, G.
de Placido, G., Alviggi, C., Mollo, A., Strina, I., Ranieri, A., Alviggi, E., Wilding, M., Varricchio, M.T., Borrelli, A.L. & Conforti, S. Effects of recombinant LH (rLH) supplementation during controlled ovarian hyperstimulation (COH) in normogonadotrophic women with an initial inadequate response to recombinant FSH (rFSH) after pituitary downregulation: 637
Plowman, P.N. *see* Carroll, P.V.
Pomerleau, M. *see* Imbeault, P.
Popovic, V., Pekic, S., Micic, D., Damjanovic, S., Marikovic, J., Simic, M., Dieguez, C. & Casanueva, F.F. Evaluation of the reproducibility of the GHRH plus GHRP-6 test of growth hormone reserve in adults: 185
Powell, C.C. *see* Erickson, D.
Premawardhana, L.D.K.E. *see* Mazziotti, G.
Price, D.A. *see* Alba, M.
Prodam, F. *see* Broglio, F.
Proudler, A.J. *see* Godsland, I.F.
Pynka, S. *see* Caron, P.
Racz, K. *see* Caron, P.
Radetti, G. *see* Bellone, S.
Radetti, G. *see* Buzi, F.
Rainey, W.E. *see* Auchus, R.J.
Raiszadeh, F., Solati, M., Etemadi, A. & Azizi, F. Serum paraoxonase activity before and after treatment of thyrotoxicosis: 75
Ranieri, A. *see* de Placido, G.
Rapa, A. *see* Bellone, S.
Rasmussen, L.M. *see* Clausen, L.R.
Reifen, R. *see* Zadik, Z.
Rey, R. *see* Trigo, R.V.
Ricart, W. *see* López-Bermejo, A.
Riganti, F. *see* Broglio, F.

Rittig, S. *see* Christensen, J.H.
Robertson, G.L. *see* Christensen, J.H.
Rocha, A.J. *see* Martins, J.R.M.
Roelfsema, F. *see* Biermasz, N.R.
Roelfsema, F. *see* van Aken, M.O.
Rogers, B. *see* Agha, A.
Romão, R. *see* Silva, M.N.C.
Romagnoli, E. *see* Carnevale, V.
Romijn, J.A. *see* Biermasz, N.R.
Romijn, J.A. *see* van Aken, M.O.
Rosberg, S. *see* Blair, J.C.
Rossetto, R. *see* Lanfranco, F.
Rubió, I.G.S. *see* Silva, M.N.C.
Rucker, D., Ezzat, S., Diamandi, A., Khosravi, J. & Hanley, D.A. IGF-I and testosterone levels as predictors of bone mineral density in healthy, community-dwelling men: 491
Ruggeri, F. *see* Buzi, F.
Ruocco, G. *see* de Bellis, A.
Saggese, G. *see* Baroncelli, G.I.
Saito, Y. *see* Tatsuno, I.
Salerno, M., Esposito, V., Spinelli, L., Di Somma, C., Farina, V., Muzzica, S., de Horatio, L.T., Lombardi, G. & Colao, A. Left ventricular mass and function in children with GH deficiency before and during 12 months GH replacement therapy: 630
Salvatori, R. *see* Alba, M.
Sam, S., Corbridge, T.C., Mokhlesi, B., Comellas, A.P. & Molitch, M.E. Cortisol levels and mortality in severe sepsis: 29
Sänger, E. *see* Siegmund, W.
Sansone, D. *see* de Bellis, A.
Sasano, H. *see* Tatsuno, I.
Sassolas, G. *see* Nehar, D.
Savage, C.O. *see* Harper, L.
Savage, M.O. *see* Blair, J.C.
Savage, M.O. *see* Carroll, P.V.
Scarlattini, M. *see* Nicolini, G.
Schüller, P. *see* Hofbauer, L.C.
Schermann, L. *see* Kreisner, E.
Schopohl, J. *see* Caron, P.
Schoppet, M. *see* Hofbauer, L.C.
Schultz, M., Faber, J., Kistorp, C., Jarløv, A., Pedersen, F., Wiinberg, N. & Hildebrandt, P. N-terminal-pro-B-type natriuretic peptide (NT-pro-BNP) in different thyroid function states: 54
Scillitani, A. *see* Carnevale, V.
Seah, L.L. *see* Goh, S.Y.
Seely, E.W., Brosnihan, K.B., Jeunemaitre, X., Okamura, K., Williams, G.H., Hollenberg, N.K. & Herrington, D.M. Effects of conjugated oestrogen and droloxifene on the renin–angiotensin system, blood pressure and renal blood flow in postmenopausal women: 315
Selgas, R. *see* Iglesias, P.
Shah, J.H. *see* Murata, G.H.
Shalet, S.M. *see* Mukherjee, A.
Sheppard, M.C. *see* Ayuk, J.
Sheriff, R. *see* Wijeyaratne, C.N.
Shigeta, A. *see* Tatsuno, I.
Shimatsu, A. *see* Takahashi, J.A.
Shong, Y.K. *see* Kim, W.B.
Shong, Y.K. *see* Nam-Goong, I.S.
Siegmund, W., Spieker, K., Weike, A.I., Giessmann, T., Modess, C., Dabers, T., Kirsch, G., Sänger, E., Engel, G., Hamm, A.O., Nauck, M. & Meng, W. Replacement therapy with levothyroxine plus triiodothyronine (bioavailable molar ratio 14 : 1) is not superior to thyroxine alone to improve well-being and cognitive performance in hypothyroidism: 750
Siggaard, C. *see* Christensen, J.H.
Silha, J.V. *see* Hana, V.
Silha, J.V. *see* Krsek, M.
Silva, M.N.C., Rubió, I.G.S., Romão, R., Gebrin, E.M.M.S., Buchpiguel, C., Tomimori, E., Camargo, R., Cardia, M.S. & Medeiros-Neto, G. Administration of a single dose of recombinant human thyrotrophin enhances the efficacy of radioiodine treatment of large compressive multinodular goitres: 300
Simic, M. *see* Popovic, V.
Simoni, M. *see* Lanfranco, F.
Sinai, T. *see* Zadik, Z.
Sodini, F. *see* Baroncelli, G.I.
Solati, M. *see* Raiszadeh, F.
Solito, E. *see* Mulla, A.
Sotiros, P.G. *see* Dafopoulos, K.C.
Souza, S.C.A.L. *see* Jorge, A.A.L.
Sowa, H. *see* Nomura, R.
Spieker, K. *see* Siegmund, W.
Spinelli, L. *see* Salerno, M.
Spinelli, L. *see* Vitale, G.
Spyer, G. *see* Vaidya, B.
Stamatiadis, D.N., Chan, J.L., Cogswell, R., Stefanopoulou, H.C., Bullen, J., Katsilambros, N., Stathakis, C.P. & Mantzoros, C.S. Elevated leptin fragments in renal failure correlate with BMI and haematopoiesis and are normalized by haemodialysis: 434
Stathakis, C.P. *see* Stamatiadis, D.N.
Stefanopoulou, H.C. *see* Stamatiadis, D.N.
Stepán, J.J. *see* Krsek, M.
Stepan, J.J. *see* Hana, V.
Stern, N. *see* Greenman, Y.
Stevenson, J.C. *see* Godsland, I.F.
Stewart, P.M. *see* Ayuk, J.
Stewart, S.E. *see* Ayuk, J.
Strasburger, C.J. Taking one step at a time: 540

Strina, I. *see* de Placido, G.
Stylianidou, C. *see* Tzanela, M.
Sugimoto, T. *see* Nomura, R.
Sunnerhagen, K.S. *see* Johannsson, G.
Svensson, J. *see* Johannsson, G.
Svenstrup, B. *see* Christiansen, J.J.
Syed, A.A. *see* White, H.D.
Szendei, G. *see* Visy, B.
Tabarin, A. *see* Caron, P.
Taddei, M.C. *see* Nicolini, G.
Takács, E. *see* Visy, B.
Takahashi, J.A., Shimatsu, A., Nakao, K. & Hashimoto, N. Early postoperative indicators of late outcome in acromegalic patients: 366
Taleb, F. *see* Agha, A.
Tanaka, T. *see* Tatsuno, I.
Tassone, F. *see* Lanfranco, F.
Tatsuno, I., Uchida, D., Tanaka, T., Koide, H., Shigeta, A., Ichikawa, T., Sasano, H. & Saito, Y. Vasopressin responsiveness of subclinical Cushing's syndrome due to ACTH-independent macronodular adrenocortical hyperplasia: 192
Taylor, P. *see* Paisey, R.B.
Teale, J.D. & Wark, G. The effectiveness of different treatment options for nonislet cell tumour hypoglycaemia: 457
Teasdale, G.M. *see* Mukherjee, A.
Thalassinos, N. *see* Karavitaki, N.
Thalassinos, N.C. *see* Tzanela, M.
Thompson, C.J. *see* Agha, A.
Tirelli, G. *see* de Bellis, A.
Todd, J.A. *see* Collins, J.E.
Tomimori, E. *see* Silva, M.N.C.
Tong, S. *see* Wallace, E.M.
Topliss, D. Thyroid incidentaloma: the ignorant in pursuit of the impalpable: 18
Tormey, W. *see* Agha, A.
Trainer, P.J. *see* Wieringa, G.E.
Trigo, R.V., Bergadá, I., Rey, R., Ballerini, M.G., Bedecarrás, P., Bergadá, C., Gottlieb, S. & Campo, S. Altered serum profile of inhibin B, Pro-αC and anti-Müllerian hormone in prepubertal and pubertal boys with varicocele: 758
Tripp, J.H. *see* Vaidya, B.
Tritos, N.A., Kissinger, K.V., Manning, W.J. & Danias, P.G. Association between ghrelin and cardiovascular indexes in healthy obese and lean men: 60
Tsagarakis, S. *see* Tzanela, M.
Tsatsoulis, A. *see* Fountoulakis, S.
Tsilchorozidou, T., Overton, C. & Conway, G.S. The pathophysiology of polycystic ovary syndrome: 1
Tsukamoto, T. *see* Nomura, R.
Tyzack, K. *see* Wallace, E.M.
Tzanela, M., Karavitaki, N., Stylianidou, C., Tsagarakis, S. & Thalassinos, N.C. Assessment of GH reserve before and after successful treatment of adult patients with Cushing's syndrome: 309
Uchida, D. *see* Tatsuno, I.
Vaidya, B., Campbell, V., Tripp, J.H., Spyer, G., Hattersley, A.T. & Ellard, S. Premature birth and low birth weight associated with nonautoimmune hyperthyroidism due to an activating thyrotropin receptor gene mutation: 711
Valimaki, M.J. *see* Caron, P.
Varga, L. *see* Visy, B.
Varricchio, M.T. *see* de Placido, G.
Veldhuis, J. *see* Christiansen, J.J.
Veldhuis, J.D. *see* van Aken, M.O.
Vercellotti, A. *see* Bellone, S.
Viacava, P. *see* Cetani, F.
Viereck, V. *see* Hofbauer, L.C.
Visy, B., Füst, G., Varga, L., Szendei, G., Takács, E., Karádi, I., Fekete, B., Harmat, G. & Farkas, H. Sex hormones in hereditary angioneurotic oedema: 508
Vitale, G., Galderisi, M., Pivonello, R., Spinelli, L., Ciccarelli, A., de Divitiis, O., Lombardi, G. & Colao, A. Prevalence and determinants of left ventricular hypertrophy in acromegaly: impact of different methods of indexing left ventricular mass: 343
Vivenza, D. *see* Bellone, S.
Vora, J.P. *see* White, H.D.
Wall, J.R. *see* de Bellis, A.
Wallace, E.M., Marjono, B., Tyzack, K. & Tong, S. First trimester levels of inhibins and activin A in normal and failing pregnancies: 484
Wark, G. *see* Teale, J.D.
Weike, A.I. *see* Siegmund, W.
Weismann, D. *see* Allolio, B.
Weiss, V. *see* Krsek, M.
Wendel, C.S. *see* Murata, G.H.
Wermers, R.A. *see* Erickson, D.
Westin, G. *see* Buchwald, P.C.
Whatmore, A.J. *see* Alba, M.
White, H.D., Ahmad, A.M., Syed, A.A., Clewes, A., Peter, R., Vora, J.P. & Fraser, W.D. Gender variation in PTH sensitivity and rhythmicity following growth hormone replacement in adult growth hormone-deficient patients: 516
Whitehead, M.I. *see* Godsland, I.F.
Wieringa, G.E., Barth, J.H. & Trainer, P.J. Growth hormone assay standardization: a biased view?: 538
Wiinberg, N. *see* Schultz, M.
Wijeyaratne, C.N., Nirantharakumar, K., Balen, A.H., Barth, J.H., Sheriff, R. & Belchetz, P.E. Plasma homocysteine in polycystic ovary syndrome: does it correlate with insulin resistance and ethnicity?: 560
Wilding, J.P.H. *see* Malik, I.A.
Wilding, M. *see* de Placido, G.

Williams, G.H. *see* Seely, E.W.
Wood, P.J. *see* Kajantie, E.
Wu, L.-Y. *see* He, C.-T.
Yamaguchi, T. *see* Nomura, R.
Yamauchi, M. *see* Nomura, R.
Yang, T.-C. *see* He, C.-T.
Yaron, M. *see* Greenman, Y.
Yorifuji, T. *see* Kawai, M.
Young, W.F. *see* Erickson, D.
Zadik, Z., Sinai, T., Zung, A. & Reifen, R. Vitamin A and iron supplementation is as efficient as hormonal therapy in constitutionally delayed children: 682
Zitzmann, M. *see* Lanfranco, F.
Zung, A. *see* Zadik, Z.

Clinical Endocrinology (2004) **60**, 788–794

Subject Index to Volume 60

Acromegaly
  early prediction of late outcome 366
  efficacy of Sandostatin LAR as primary or adjuvant therapy 375
  left ventricular hypertrophy in 343
  long-term lanreotide Autogel® treatment 734
ACTH
  deficiency, inherited adrenal hypoplasia (Review) 529
  -dependent Cushing's syndrome, sampling methods 413
  ghrelin in hypoglycaemia 699
  partial deficiency in hypopituitarism 688
  secretory process in Nelson's syndrome and Cushing's disease 765
  in sleep apnoea syndrome 41
Activin
  in miscarriage 484
Adipokines
  in Cushing's syndrome 350
  GH replacement and body composition 442
Adiponectin
  hepatocellular dysfunction and insulin sensitivity 256
  in caloric restriction 429
  in male hypogonadism 500
Adiposity
  in childhood ALL 358
Adrenal failure
  DHEA supplementation and GH secretion 461
Adrenal hypoplasia, inherited (Review) 529
Adrenarche
  physiology, biochemistry and disease (Review) 288
Adrenocortical carcinoma
  management (Review) 273
Adrenocortical hyperplasia
  ACTH-independent macronodular (AIMAH), AVP response 192
Age
  changes in testosterone and role of HRT (Review) 655
  gestational, ghrelin levels in newborns 613
Agouti-related protein
  appetite regulation (Review) 153
Alendronate
  with GH therapy in GHD 568
Alström's syndrome
  hypertriglyceridaemia in 228
Angioneurotic oedema, hereditary (HANO)
  sex hormones in 508
Annexins
  expression in pituitary adenomas 107
Anorexia nervosa
  endocrine and metabolic effects of ghrelin 592
Antibodies
  antineutrophil cytoplasmic (ANCA), in Graves' disease 671
  extraocular, and Graves' ophthalmopathy 694
  profiles in thyroid-associated ophthalmopathy 600
Anti-Müllerian hormone
  in boys with varicocele 758
Antineutrophil cytoplasmic antibodies (ANCA)
  in Graves' disease 671
Apoptosis
  pathogenesis of autoimmune thyroid disease (Review) 397
Athyreosis
  congenital hypothyroidism and TSHR mutations 220
Autoantibodies
  profiles in thyroid-associated ophthalmopathy 600
Autogel®
  long-term treatment of acromegaly 734
Autoimmune thyroid disease
  familial aggregation of antibodies 329
  pathogenesis (Review) 397
AVP
  impaired trafficking of mutated prohormone 125
  nephrogenic diabetes insipidus and AVPR2 expression (Letter) 773
  response in subclinical Cushing's syndrome 192

Birth size
  metabolic syndrome and 24-h cortisol 201
  low birth weight and *TSHR* gene mutation 711
Blood pressure
  effects of oestrogen and droloxifene 315
BMI
  leptin in renal failure 434
Body composition
  GH replacement and insulin resistance 442
Bone: BMD
  GH therapy 92, 568
  IGF-I and androgens in males 491
  vitamin D status in primary hyperparathyroidism 81
  in women with Cushing's syndrome 264
  increased, after parathyroidectomy 335
  peak lumbar, in GHD 175
Brain injury
  neuroendocrine dysfunction 584

© 2004 Blackwell Publishing Ltd

Brain stem
appetite regulation (Review) 153

Caloric restriction
adiponectin levels 429
Carbimazole
antineutrophil cytoplasmic antibodies in Graves' disease 671
Cardiovascular system
cardiac mass and performance in GHD children 630
disease in PCOS (Review) 1
ghrelin in obesity 60
left ventricular hypertrophy in acromegaly 343
Children
cardiac mass and performance in GHD 630
constitutionally delayed, nutritional supplementation 682
GH after therapy of Cushing's disease 169
ghrelin levels in newborns 613
GH therapy, height and multiple pituitary hormone deficiency 608
IGF-I generation tests 163 (Commentary) 161
inherited adrenal hypoplasia (Review) 529
inhibin B, Pro-αC and anti-Müllerian hormone and varicocele 758
osteopenia and adiposity in ALL 358
osteoprotegerin and RANKL 87
predictors of intellectual outcome in congenital hypothyroidism 250
premature birth, low birth weight and *TSHR* gene mutation 711
Cholecystokinin
appetite regulation (Review) 153
Chromogranin A
in gastroenteropancreatic endocrine tumours 644
Cognitive performance
hypothyroidism, replacement therapy with T4 plus T3 750
Cortisol
24-h: metabolic syndrome and birth size 201
levels, and mortality in severe sepsis 29
metabolism in PCOS (Review) 1
Cortistatin (CST)
mRNA in human tissues 625
Cushing's disease/syndrome
ACTH-dependent, sampling methods 413
ACTH secretory process 765
adipokine levels in 350
BMD in women 264
early manifestation of MEN1 (Letter) 142
GH secretion in 309
GH status after therapy 169
GH therapy in 550
as manifestation of hypothyroidism (Letter) 271
pituitary function and prolactin deficiency 476
subclinical, AVP response 192

DHEA
supplementation and GH secretion 461
DHEA-S
deficiency, and adrenarche (Review) 288
Diabetes
familial neurohypophyseal diabetes insipidus 125
nephrogenic diabetes insipidus and AVPR2 expression (Letter) 773
in parents of women with Turner's syndrome (Letter) 272
type 2, glucose variability in 451
type 2, in PCOS (Review) 1
Diabetes Outcomes in Veterans Study (DOVES) 451
Dialysis
GH, IGF-I and IGFBP-1 and -3 741
Droloxifene
effects on RAAS in women 315
Dydrogesterone
effects on insulin secretion and lipid metabolism 541

Endothelial dysfunction
in brothers of women with PCOS 322
Endothelin-1 converting enzyme
in thyroid carcinoma (Letter) 146
Erythrocytes
Na^+/K^+-ATPase in subclinical hypothyroidism 705
Ethnicity
plasma homocysteine, PCOS and insulin resistance 560

Fine-needle aspiration (FNA)
thyroid incidentaloma 21 (Commentary) 18
Flutamide
in obese PCOS women 241
FSH
effects of LH supplementation in COH 637
response to GnRH after ovariectomy 120

Gastroenteropancreatic endocrine tumours
Chromogranin A in 644
Gender
modulation of ghrelin secretion 382
Genetics
association studies (Letter) 145, 394
BRAF mutations and thyroid nodules (Letter) 394
congenital hypothyroidism, apparent athyreosis and TSHR mutations 220

early clinical manifestation of MEN1 (Letter) 142
familial aggregation of thyroid autoantibodies 329
impaired trafficking of mutated AVP prohormone 125
inherited adrenal hypoplasia (Review) 529
mutation in WSXWS-like motif of GHR 36
nephrogenic diabetes insipidus and AVPR2 expression (Letter) 773
p18, p21 and p27 in hyperparathyroidism 389
pathogenesis of autoimmune thyroid disease (Review) 397
PCOS (Review) 1
pituitary size in GHRHR mutation 470
PROP1 gene in hypogonadotrophic hypogonadism (Letter) 147
Rb1 gene in parathyroid cancer 99
somatostatin and cortistatin mRNA in human tissues 625
TSHR gene mutation and nonautoimmune hyperthyroidism 711
VDR, ERα and TGF-β1 genes and postmenopausal bone 232
vitamin D receptor gene in Graves' disease 618

GH
assay standardization (Commentaries) 538, 540
carcinoma, and annexin expression 107
in dialysis 741
ghrelin in hypoglycaemia 699
in IGF-I generation tests 163 (Commentary) 161
replacement and insulin resistance 442
reproducibility of GHRH plus GHRP-6 test 185
secretion, and DHEA supplementation 461
secretion in Cushing's syndrome 309
status after therapy of Cushing's disease 169
therapy, cardiac mass and performance in GHD children 630
therapy, effects on BMD 568
therapy, and PTH sensitivity 516
therapy and BMD 92
therapy in previous Cushing's disease 550

GHD
acquired prolactin deficiency as marker 476
cardiac mass and performance in children 630
effects of GH therapy on BMD 568
ghrelin in 137
GHRHR gene mutation and pituitary size 470
peak lumbar BMD in 175
with previous Cushing's disease 550
PTH sensitivity 516

GHR
expression and function in pituitary adenomas 576
mutation in WSXWS-like motif 36

Ghrelin
in adult GHD 137
appetite regulation (Review) 153
cardiovascular indexes in obesity 60
endocrine and metabolic effects in anorexia nervosa 592
in hypoglycaemia 699
levels in newborns 613
modulation of secretion 382

GHRH
reproducibility of GHRH plus GHRP-6 test 185

GHRHR
gene mutation, and pituitary size 470

GHRP-6
reproducibility of GHRH plus GHRP-6 test 185

GH therapy
height and multiple pituitary hormone deficiency 608

Glucagon-like-peptide-1
appetite regulation (Review) 153

Glucocorticoid
replacement, in hypopituitarism 688

Glucose
intolerance, in PCOS (Review) 1
variability in type 2 diabetes 451

Glycosaminoglycans
urinary, in Graves' ophthalmopathy 726

GnRH
agonist therapy in Laron syndrome 36
LH secretion and release in PCOS 67
pituitary responses after ovariectomy 120

Goitre
radioiodine therapy plus TSH 300 (Commentary) 297

Graves' disease
antineutrophil cytoplasmic antibodies 671
autoantibody profiles in ophthalmopathy 600
clinical activity scores in ophthalmopathy 726
efficacy of methimazole and propylthiouracil 676
extraocular antibodies and ophthalmopathy 694
TSHR antibodies after painless thyroiditis 49
ultrasonographic screening for thyroid cancer 719
vitamin D receptor gene in 618

Growth
constitutionally delayed, nutritional supplementation 682

Haematopoiesis
leptin in renal failure 434

Haemodialysis
GH, IGF-I and IGFBP-1 and -3 741
leptin in renal failure 434

Height
GH therapy in multiple pituitary hormone deficiency 608
see also Stature, short

Homocysteine (plasma)
PCOS, insulin resistance and ethnicity 560
HRT
effects on insulin secretion and lipid metabolism 541
see also Testosterone
Hyaluronan
in Graves' ophthalmopathy 726
Hyperandrogenism
in PCOS (Review) 1
Hyperinsulinaemia
in PCOS (Review) 1
Hyperleptinaemia
osteopenia and adiposity in childhood ALL 358
Hyperparathyroidism
primary, increased BMD after parathyroidectomy 335
primary, vitamin D status in 81
primary and secondary, p18, p21 and p27 levels 389
Hyperthyroidism
efficacy of methimazole and propylthiouracil 676
nonautoimmune, and *TSHR* gene mutation 711
subclinical (Commentary) 410
Hypertriglyceridaemia
in Alström's syndrome 228
Hypoglycaemia
ghrelin in 699
non-islet cell tumour (NICTH), treatment 457
Hypogonadism
adiponectin and testosterone therapy 500
hypogonadotrophic, *PROP1* gene (Letter) 147
Hypopituitarism
glucocorticoid replacement 688
Hypothalamus
appetite regulation (Review) 153
Hypothyroidism
congenital, with apparent athyreosis and TSHR mutations 220
congenital, predictors of intellectual outcome 250
Cushing's disease as manifestation (Letter) 271
replacement therapy with T4 plus T3 750
subclinical, erythrocyte Na^+/K^+-ATPase 705
subclinical (Commentary) 410

IGF
effects of DHEA supplementation 461
IGFBP
IGFBP-1 and IGFBP-3 in dialysis 741
IGF-I
BMD and androgens in males 491
in dialysis 741
standard and low-dose generation tests 163
(Commentary) 161

Inhibins
inhibin B in boys with varicocele 758
in miscarriage 484
Insulin
appetite regulation (Review) 153
effects of HRT on secretion 541
resistance, GH replacement and body composition 442
resistance, PCOS and plasma homocysteine 560
resistance, in PCOS (Review) 1
resistance in brothers of women with PCOS 322
sensitivity, adiponectin and hepatocellular dysfunction 256
sensitivity, modulation of ghrelin secretion 382
Intellectual outcome
predictors, in congenital hypothyroidism 250
Internal jugular vein sampling
in Cushing's syndrome 413
Iron
supplementation in constitutionally delayed children 682
IVF
LH supplementation in COH 637

Lanreotide
long-term treatment of acromegaly 734
Laron syndrome
mutation in WSXWS-like motif of GHR 36
Left ventricular mass
in GHD children 630
prevalence and determinants of LVH in acromegaly 343
Leptin
appetite regulation (Review) 153
osteopenia and adiposity in childhood ALL 358
in PCOS (Review) 1
in postpartum thyroiditis 208
in renal failure 434
Leukaemia
acute lymphoblastic (ALL), osteopenia and adiposity 358
Levothyroxine (T4)
efficacy in hypothyroidism 750
LH
response to GnRH after ovariectomy 120
secretion in PCOS (Review) 1
secretion and release in PCOS 67
supplementation in COH 637
Lipoproteins
effects of HRT on metabolism 541
Liver
adiponectin and hepatocellular dysfunction 256
LVH (left ventricular hypertrophy)
in acromegaly 343

Melanocortins
appetite regulation (Review) 153
Men
adiponectin in hypogonadism 500
age-related changes in testosterone and role of HRT (Review) 655
BMD, IGF-I and androgens 491
caloric restriction and adiponectin levels 429
ghrelin and the heart in obesity 60
Metabolic syndrome
birth size and 24-h cortisol 201
Metabolism
effects of ghrelin in anorexia nervosa 592
lipoproteins, effects of HRT 541
see also Bone
Metformn
in obese PCOS women 241
Methimazole
efficacy in Graves' hyperthyroidism 676
Miscarriage
inhibins and activin in 484
Mitotane
in management of adrenocortical carcinoma (Review) 273
Multiple endocrine neoplasia (MEN)
type 1, early clinical manifestation (Letter) 142

Na^+/K^+-ATPase (erythrocyte)
in subclinical hypothyroidism 705
Natriuretic peptide
NT-pro-BNP and thyroid function 54
Nelson's syndrome
ACTH secretory process 765
Neuroendocrine defect/dysfunction
in PCOS (Review) 1
in traumatic brain injury 584
Non-islet cell tumour hypoglycaemia (NICTH)
effectiveness of treatment options 457
NPY
appetite regulation (Review) 153

Obesity
appetite regulation (Review) 153
current treatments (Review) 157
ghrelin and cardiovascular indexes 60
metformin and flutamide in PCOS 241
modulation of ghrelin secretion 382
pituitary function in sleep apnoea syndrome 41
Oestradiol
effects on insulin secretion and lipid metabolism 541
Oestrogen
conjugated equine (CEE), and RAAS in women 315
Oestrogen receptor α (ERα)
genotype and postmenopausal bone 232
Ophthalmopathy
clinical activity scores in Graves' disease 726
extraocular antibodies and Graves' disease 694
thyroid-associated (TAO), autoantibody profiles 600
Oral contraceptives
osteoprotegerin and RANKL 214
Osteopenia
in childhood ALL 358
Osteoporosis
GH therapy in GHD 568
Osteoprotegerin
RANKL in children 87
RANKL during oral contraceptive use 214
Ovarian function
LH supplementation in COH 637
see also Polycystic ovary syndrome
Ovariectomy
pituitary responses to GnRH 120

Paraoxonase
activity in thyrotoxicosis 75
Parathyroid adenomas
p18, p21 and p27 levels 389
Parathyroidectomy
increased BMD after 335
Parathyroid tumours
Rb1 gene in diagnosis 99
Peptide YY
appetite regulation (Review) 153
Peritoneal dialysis
GH, IGF-I and IGFBP-1 and -3 741
Pituitary adenomas
annexin expression 107
GHR expression and function 576
Pituitary disease
GH therapy, height and multiple hormone deficiency 608
Pituitary function
after traumatic brain injury 584
Cushing's disease and prolactin deficiency 476
inherited adrenal hypoplasia (Review) 529
responses to GnRH after ovariectomy 120
size in GHRHR mutation 470
in sleep apnoea syndrome 41
Polycystic ovary syndrome (PCOS)
endothelial dysfunction in brothers of subjects 322
LH secretion and release 67
metformin and flutamide in obese women 241

pathophysiology (Review) 1
plasma homocysteine, insulin resistance and ethnicity 560
Polycythaemia
reversal, after testosterone therapy (Letter) 143
Pregnancy
subclinical thyroid disease (Commentary) 410
see also Miscarriage
Pro-αC
in boys with varicocele 758
Progesterone
in hereditary angioneurotic oedema 508
Prolactin
acquired deficiency (APD) 476
in sleep apnoea syndrome 41
Propylthiouracil
antineutrophil cytoplasmic antibodies in Graves' disease 671
efficacy in Graves' hyperthyroidism 676
PTH
sensitivity in adult GHD 516
Puberty
inhibin B, Pro-αC and anti-Müllerian hormone in boys with varicocele 758
precocious, osteoprotegerin and RANKL 87

Radioiodine
with TSH therapy for goitre 300 (Commentary) 297
RANKL
osteoprotegerin in children 87
osteoprotegerin and oral contraceptive use 214
Renal failure
leptin in 434
Renin–angiotensin–aldosterone system (RAAS)
effects of oestrogen and droloxifene 315
Resistin
in Cushing's syndrome 350
Rheumatoid arthritis
osteoprotegerin and RANKL in children 87

Sandostatin LAR
efficacy as primary or adjuvant therapy 375
Sepsis, severe
cortisol levels and mortality 29
Serotonin
appetite regulation (Review) 153
Sertoli cells
assessment of function 758
Sex hormones
in hereditary angioneurotic oedema 508
SHBG
in hereditary angioneurotic oedema 508
Sleep apnoea syndrome
pituitary function 41
Somatostatin
efficacy of analogues as primary or adjuvant therapy 375
mRNA in human tissues 625
Stature, short
IGF-I generation tests 163 (Commentary) 161
Steroidogenesis
in adrenarche (Review) 288
in management of adrenocortical carcinoma (Review) 273

Testosterone
age-related changes and role of HRT (Review) 655
BMD, IGF-I and androgens 491
implant release rate 420
replacement, reversal of polycythaemia (Letter) 143
therapy in hypogonadism 500
Thyroid carcinoma
endothelin-1 converting enzyme (Letter) 146
ultrasonographic screening in Graves' disease 719
Thyroid function
familial aggregation of autoantibodies 329
nodules, and BRAF mutations (Letter) 394
N-terminal-pro-B-type natriuretic peptide 54
subclinical disease (Commentary) 410
Thyroid incidentaloma
FNA 21 (Commentary) 18
Thyroiditis
painless, and TSH receptor antibodies 49
postpartum, leptin levels 208
Thyrotoxicosis
paraoxonase activity in 75
Thyroxine
efficacy in hypothyroidism 750
Transforming growth factor-β1 (TGF-β1)
genes and postmenopausal bone 232
Triiodothyronine (T3)
efficacy in hypothyroidism 750
TSH
in radioiodine therapy of goitre 300 (Commentary) 297
receptor antibodies after painless thyroiditis 49
in sleep apnoea syndrome 41
TSHR mutations
congenital hypothyroidism and apparent athyreosis 220
nonautoimmune hyperthyroidism 711
Turner's syndrome
diabetes mellitus in patients' parents (Letter) 272
osteoprotegerin and RANKL in children 87

Ultrasonography
calcaneal: VDR, ERα and TGF-β1 genes and postmenopausal bone 232
FNA of thyroid incidentaloma 21 (Commentary) 18
screening for thyroid cancer in Graves' disease 719

Varicocele
inhibin B, Pro-αC and anti-Müllerian hormone 758
Vasopressin see AVP
Vitamin A
supplementation in constitutionally delayed children 682
Vitamin D
receptor gene in Graves' disease 618
receptor (VDR) and postmenopausal bone 232
status in primary hyperparathyroidism 81

Weight
low birth weight and *TSHR* gene mutation 711
Well-being
hypothyroidism, replacement therapy with T4 plus T3 750

Women
adipokines in Cushing's syndrome 350
BMD in Cushing's syndrome 264
CEE, droloxifene and the RAAS 315
DHEA supplementation and GH secretion 461
effects of HRT on insulin secretion and lipid metabolism 541
endothelial dysfunction in brothers of women with PCOS 322
leptin and postpartum thyroiditis 208
LH secretion and release in PCOS 67
LH supplementation in COH 637
metformin and flutamide in obese PCOS 241
osteoprotegerin, RANKL and oral contraceptives 214
pituitary responses to GnRH after ovariectomy 120
Turner's syndrome and diabetes mellitus (Letter) 272
VDR, ERα and TGF-β1 genes and postmenopausal bone 232
vitamin D status in primary hyperparathyroidism 81